

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



DICHTEN. KLEBEN. PFLEGEN.

Trade name : MEM Fix-Fertig-Fugenmörtel - sand - 25 kg
Revision date : 24.01.2017
Print date : 16.03.2017

Version (Revision) : 2.1.0 (2.0.4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

MEM Fix-Fertig-Fugenmörtel - sand - 25 kg (30836015)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Ready-to-use mortar

Product Categories [PC]

PC1 - Adhesives, sealants

Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

MEM Bauchemie GmbH

Street :

Am Emsdeich 52

Postal code/city :

26789 Leer

Telephone / Telefax

0491 - 92 58 0 - 0 / 0491 - 92 58 0 - 58

Information contact :

SDB@mem.de

1.4 Emergency telephone number

Berlin Poison Information Centre ("Giftnotruf", Berlin, Germany): +49 (0) 30 / 30 68 67 90 - in German and English language

Emergency phone (producer / supplier): +49 (0) 491 / 925800

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

2.2 Label elements

None

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

None

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If medical advice is needed, have product container, label or safety data sheet at hand.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. Consult a physician in case of symptoms.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



DICHTEN. KLEBEN. PFLEGEN.

Trade name : MEM Fix-Fertig-Fugenmörtel - sand - 25 kg
Revision date : 24.01.2017
Print date : 16.03.2017

Version (Revision) : 2.1.0 (2.0.4)

In case of skin contact

After contact with skin, wash with plenty of water and soap.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂) Extinguishing powder Water spray alcohol resistant foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO₂)

5.3 Advice for firefighters

Do not allow run-off from fire-fighting to enter drains or water courses.

Special protective equipment for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Avoid contact with skin and eyes.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

See chapter 8.

6.5 Additional information

No dangerous materials are released.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

No special measures are necessary.

7.2 Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



DICHTEN. KLEBEN. PFLEGEN.

Trade name : MEM Fix-Fertig-Fugenmörtel - sand - 25 kg
Revision date : 24.01.2017
Print date : 16.03.2017

Version (Revision) : 2.1.0 (2.0.4)

Technical measures and storage conditions

No particular measures required.

Hints on joint storage

Storage class (TRGS 510) : 12

Further information on storage conditions

Recommended storage temperature 20 °C.

7.3 Specific end use(s)

Ready-to-use mortar - Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Use safety glasses. - DIN EN 166

Skin protection

Hand protection

Wear suitable gloves. - DIN EN 374

Suitable material : CR (polychloroprene, chloroprene rubber) NBR (Nitrile rubber) Butyl caoutchouc (butyl rubber)

Unsuitable material : PVA (Polyvinyl alcohol)

Breakthrough time (maximum wearing time) : The permeation time (max. usage time) of the gloves depends on material and thickness as well as temperature. The data are available from the manufacturer of the specific gloves. The permeation time for the mentioned glove materials is in general > 480 min.

Recommended glove articles : Appropriate gloves are available e.g. from Mapa-Professionel (F-92205 Neuilly sur Seine - France): STANZOIL ® (CR - 0,85 mm) - ULTRANITRIL ® (491, 492, 494 oder 495 - NBR - 0,55mm) -

Respiratory protection

Usually no personal respiratory protection necessary.

General health and safety measures

The usual precautionary measures for the handling of chemicals have to be observed. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Avoid contact with skin, eyes and clothes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Pasty.

Colour : according to product name

Odour

Poor, characteristic.

Odour threshold

No data available

Safety relevant basis data

Melting point/melting range :

No data available

Initial boiling point and boiling range :

not applicable

Decomposition temperature :

No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



DICHTEN. KLEBEN. PFLEGEN.

Trade name : MEM Fix-Fertig-Fugenmörtel - sand - 25 kg
Revision date : 24.01.2017
Print date : 16.03.2017

Version (Revision) : 2.1.0 (2.0.4)

Flash point :			not applicable		C,C,
Ignition temperature :			No data available		
Lower explosion limit :			none		
Upper explosion limit :			none		
Vapour pressure :	(50 °C)	approx.	120	hPa	
Density :	(20 °C)	approx.	1,65	g/cm ³	
Water solubility :	(20 °C)		Slightly soluble.		
pH :			No data available		
log P O/W :			No data available		
Viscosity :	(20 °C)		No data available		
Relative vapour density :	(20 °C)		No data available		
Vapourisation rate :			No data available		
Oxidising liquids :		No data available.			
Explosive properties :		No data available.			

9.2 Other information

The product is not self-igniting. The product is not explosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is under normal conditions not reactive.

10.2 Chemical stability

Product is stable under normal conditions.

10.3 Possibility of hazardous reactions

None known.

10.4 Conditions to avoid

Protect from frost !

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No dangerous decomposition products during appropriate storage and handling.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Assessment/classification

Health hazards

Acute toxicity (oral) : No - Based on available data, the classification criteria are not met.

Acute toxicity (dermal) : No - Based on available data, the classification criteria are not met.

Acute toxicity (inhalation) : No - Based on available data, the classification criteria are not met.

Skin Corrosion / Irritation : No - Based on available data, the classification criteria are not met.

Serious eye damage / eye irritation : No - Based on available data, the classification criteria are not met.

Sensitisation (Respiratory) : No - Based on available data, the classification criteria are not met.

Sensitisation (Skin) : No - Based on available data, the classification criteria are not met.

Germ cell mutagenicity : No - Based on available data, the classification criteria are not met.

Carcinogenicity : No - Based on available data, the classification criteria are not met.

Reproductive toxicity : No - Based on available data, the classification criteria are not met.

Reproductive toxicity, Effects on or via lactation : No - Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure) : No - Based on available data, the classification criteria are not met.

Specific target organ toxicity (Respiratory tract irritation) : No - Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



DICHTEN. KLEBEN. PFLEGEN.

Trade name : MEM Fix-Fertig-Fugenmörtel - sand - 25 kg
Revision date : 24.01.2017
Print date : 16.03.2017

Version (Revision) : 2.1.0 (2.0.4)

Specific target organ toxicity (Narcosis) : No - Based on available data, the classification criteria are not met.

Specific target organ toxicity (Repeated exposure) : No - Based on available data, the classification criteria are not met.

Aspiration hazard : No - Based on available data, the classification criteria are not met.

11.5 Additional information

When used and handled according to specification, the product does not have any harmful effect according to our experience and knowledge.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

The mixture has been checked following the conventional method for eco-toxicological properties. If classified as eco-toxic see section 2 for details.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Contains no PBT / vBvP-substance.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

Do not allow undiluted product or large quantities to reach sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Uncured product: Special waste.

Cured product: household garbage or trade garbage - observe local regulations.

Waste codes/waste designations according to EWC/AVV

08 04 10: Waste adhesives and sealants other than those mentioned in 08 04 09.

Waste treatment options

Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

13.2 Additional information

Please note: The classification of waste for this product may change according to the field of its application. Please observe Directive 2001/118/EC.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



DICHTEN. KLEBEN. PFLEGEN.

Trade name : MEM Fix-Fertig-Fugenmörtel - sand - 25 kg
Revision date : 24.01.2017
Print date : 16.03.2017

Version (Revision) : 2.1.0 (2.0.4)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

Protect from frost !

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Observe in addition any national regulations!

Restrictions of occupation

Please consider possible restrictions for the protection of pregnant and breastfeeding women at work (Directive 92/85/EC) and for the protection of young people at work (Directive 94/33/EC).

Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

Other regulations, restrictions and prohibition regulations

Betriebssicherheitsverordnung (BetrSichV)

No flammable liquid according to BetrSichV.

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements

16.2 Abbreviations and acronyms

BCF - Bioconcentration Factor
CMR - Carcinogenic-Mutagenic-toxic for Reproduction
DNEL - Derived No Effect Level
EWC - European Waste Catalogue
NOEC - No Observed Effect Concentration
NOEL - No Observed Effect Level
OEL - Occupational Exposure Limit
PBT - Persistent, Bioaccumulative, Toxic
PNEC - Predicted No Effect Concentration
STOT - Specific Target Organ Toxicity
SVHC - Substance of Very High Concern
vPvB - very Persistent, very Bioaccumulative

16.3 Key literature references and sources for data

Regulations for prevention of accidents , safety rules and recommendations provided by professional associations.
Observe technical data sheet.

16.4 Relevant H- and EUH-phrases (Number and full text)

None

16.5 Training advice

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



DICHTEN. KLEBEN. PFLEGEN.

Trade name : MEM Fix-Fertig-Fugenmörtel - sand - 25 kg
Revision date : 24.01.2017
Print date : 16.03.2017

Version (Revision) : 2.1.0 (2.0.4)

None

16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
