

# PRODUCT DATASHEET

## LINEAR LED CORNER 12 W 3000 K

Linear LED Corner | Modular undercabinet luminaire system



---

### AREAS OF APPLICATION

- Undercabinet lighting
- For indoor use only

---

### PRODUCT BENEFITS

- Easy and quick series connection thanks to simple plug system
- Very homogenous light
- Connection of up to 15 luminaires in a row

---

### PRODUCT FEATURES

- Housing material: aluminum



**TECHNICAL DATA**

Electrical data

<b>Operating mode</b>	Integrated LED driver
<b>Nominal wattage</b>	12.00 W
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50 Hz

Photometrical data

<b>Color temperature</b>	3000 K
<b>Luminous flux</b>	760 lm
<b>Light color (designation)</b>	Warm White
<b>Color rendering index Ra</b>	>80

Dimensions & weight



<b>Length</b>	478.0 mm
<b>Width</b>	90.0 mm
<b>Height</b>	44.0 mm
<b>Product weight</b>	499.00 g

Colors & materials

<b>Body material</b>	Aluminum
<b>Product color</b>	Silver
<b>Cover material</b>	Polycarbonate (PC)

Lifespan

<b>Lifespan</b>	25000 h
-----------------	---------

Capabilities

<b>Dimmable</b>	No
-----------------	----

## Certificates &amp; standards

<b>Protection class</b>	I
<b>Type of protection</b>	IP20
<b>Standards</b>	CE/TÜV

## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- Modular lighting system expandable with USB socket and Bluetooth speaker

## LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075818439	LINEAR LED CORNER 12 W 3000 K	Shipping carton box 6	650 mm x 125 mm x 310 mm	25.19 dm <sup>3</sup>	4369.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.